


Soluflex cable floor system



Raceways : PVC & Metal (GI)



Floor boxes




Desktop extension units with wiring devices



Power & data desk grommets



DLP trunking system:
Snap-on, Mini & U-PVC,
Aluminium



Cablofil wire mesh cable trays



Cable worm



Flush mounting power & data
module


Power and data distribution & connection solutions



Raised access floor systems



Screed floor system



Wall and ceiling systems




Pop-up boxes




Snap-On columns

Legrand's solution for distributing power and data to workstations



Work station solution supplied through the floor



Work station solution supplied through the false ceiling & the wall

Workstation Solutions

Power and data distribution for the office environment

In order to guarantee convenience and performance for users in office buildings, workstations & different areas must be fitted with solutions that can be fully adjusted to different building infrastructures and still meet the user's connectivity and mobility needs.

These ranges of products are solutions for supplying and fitting out workstations in any kind of building infrastructure: Raised Floor, Flush Floor, Screed Floor & False Ceiling & Wall.

Soluflex cable floor system

37 mm height

NEW!

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

Floor parts

Tile

84000 10	Supplied with 4 contact/ distance projections Can be positioned on supports Cat.No 84037 00	404	1
----------	--	-----	---

Support for tile

84037 00	100 x 100 mm support Height 37 mm With 2 grooves for tiles positioning Black - polypropylene	74	1
----------	---	----	---

Edge plates

Used to finish installation against wall
Length 900 mm, width 300 mm
Trim to size on site

84000 60	Double edge plate 2 flanges of 13 mm	3178	1
84000 61	Single edge plate 1 flange of 13 mm	2458	1

Plenum sealing

84037 20	For edging the floor to create a step length 900 mm, width 56 mm, height 37 mm	1560	1
----------	--	------	---

Plenum exterior angle

84037 30	56 x 56 mm	2278	1
----------	------------	------	---

Ramp

84037 40	Length 400 mm, width 112 mm Ramp 10 % Include 1 extra support per tile	2216	1
----------	---	------	---

Earthing tile

84000 20	Supplied with 4 contact/ distance projections Earthing clamp max. 6 mm ² Use 1 tile per 100 m ² or in hallways max. 14 m apart	1352	1
----------	--	------	---

Cable outlet tile

84000 30	For cable access to work station Access 125 x 15 mm Supplied with 4 contact/ distance projections	2018	1
----------	---	------	---

Chromed outlet grommet

81902 32	For cable access to work station To be used with outlet tile Cat.No 84000 40	3178	1
----------	--	------	---

Outlet tile

84000 40	Supplied with 4 contact/ distance projections For integration of columns, pedestals+cable spine or chrome outlet grommet Cat.No 81902 32	2080	1
----------	--	------	---

*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Red Cat.Nos - new products

Soluflex cable floor system

37 mm height

NEW!

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

Floor parts

Fixing brackets

84000 50	For mounting columns on floor with outlet tile Cat.No 84000 40	1526	1
----------	---	------	---

Built-in units to be equipped

225x225 mm, Height 37 mm
(accessory outlet rises to 71 mm)

84037 50	For 2 x 2 module Arteor power sockets Provided with connection terminal	8394	1
84037 51	For up to 4 x 1 module Arteor data sockets	7196	1

Cable worm

0535 98	2 compartments: power and data length: 0.75 m, colour: white	3392	1
---------	--	------	---

Soluflex cable floor system

60 mm height

Floor parts

Tile

84000 10	Supplied with 4 contact/ distance projections Can be positioned on supports Cat.No 84060 00	404	1
----------	--	-----	---

Support for tile

84060 00	100 x 100 mm support Height 60 mm With 2 grooves for tiles positioning Black - polypropylene	90	1
----------	---	----	---

Edge plates

Used to finish installation against wall
Length 900 mm, width 300 mm, Trim to size on site

84000 60	Double edge plate 2 flanges of 13 mm	3178	1
84000 61	Single edge plate 1 flange of 13 mm	2458	1

Plenum sealing

84060 20	For edging the floor to create a step length 900 mm, width 56 mm, height 60 mm	1620	1
----------	--	------	---

Plenum exterior angle

84060 30	56 x 56 mm	2398	1
----------	------------	------	---

Ramp

84060 40	Length 616 mm, width 112 mm Ramp 10 % Include 1 extra support per tile	3240	1
----------	---	------	---

Earthing tile

84000 20	Supplied with 4 contact/ distance projections Earthing clamp max. 6 mm ² Use 1 tile per 100 m ² or in hallways max. 14 m apart	1352	1
----------	--	------	---

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

Soluflex cable floor system

60 mm height

NEW!

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

Floor parts

Cable outlet tile



84000 30

84000 30	Cable outlet tile For cable access to work station Access 125 x 15 mm Supplied with 4 contact/distance projections	2018	1
-----------------	---	------	---

Chromed outlet grommet



81902 32

81902 32	For cable access to work station To be used with outlet tile Cat.No 84000 40	3178	1
-----------------	--	------	---

Outlet tile



84000 40

84000 40	Supplied with 4 contact/distance projections For integration of columns, pedestals + cable spine or chrome outlet grommet Cat.No 81902 32	2080	1
-----------------	---	------	---

Fixing brackets



84000 50

84000 50	For mounting columns on floor with outlet tile Cat.No 84000 40	1526	1
-----------------	---	------	---

Fully submerged units to be equipped

To be combined with cable outlet tile
Cat.No 84000 30



84060 72

84060 72	For 2 x 2 module Arteor power socket Provided with connection terminal	5996	1
84060 73	For 4 x 1 module Arteor data sockets	3000	1

Cable worm



0535 98

0535 98	2 compartments: power and data, length: 0.75 m, colour: white	3392	1
----------------	---	------	---

Soluflex cable floor system

90 mm height

Floor parts

Tile



84000 10

84000 10	Supplied with 4 contact/distance projections Can be positioned on supports Cat.No 84090 00	404	1
-----------------	---	-----	---

Support for tile



84090 00

84090 00	100 x 100 mm support Height 90 mm With 2 grooves for tiles positioning Black - polypropylene	106	1
-----------------	---	-----	---

Edge plates



84000 60



84000 61

Used to finish installation against wall
Length 900 mm, width 300 mm, Trim to size on site

84000 60	Double edge plate 2 flanges of 13 mm	3178	1
84000 61	Single edge plate 1 flange of 13 mm	2458	1

*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Red Cat.Nos - new products

Soluflex cable floor system

90 mm height

NEW!

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

Floor parts


Plenum sealing



84090 20

84090 20	For edging the floor to create a step Length 900 mm, width 56 mm, height 90 mm	1720	1
-----------------	--	------	---

Plenum exterior angle



84090 30

84090 30	56 x 56 mm	2582	1
-----------------	------------	------	---

Ramp

84090 40	Length 898 mm, width 112 mm, Ramp 10 % Include 1 extra support per tile	5098	1
-----------------	---	------	---

Earthing tile



84000 20

84000 20	Earthing tile Supplied with 4 contact/distance projections Earthing clamp max. 6 mm ² Use 1 tile per 100 m ² or in hallways max. 14 m apart	1352	1
-----------------	--	------	---

Cable outlet tile



84000 30

84000 30	For cable access to work station Access 125 x 15 mm Supplied with 4 contact/distance projections	2018	1
-----------------	--	------	---


Chromed outlet grommet



81902 32

81902 32	For cable access to work station To be used with outlet tile Cat.No 84000 40	3178	1
-----------------	--	------	---

Outlet tile



84000 40

84000 40	Supplied with 4 contact/distance projections For integration of columns, pedestals+ cable spine or chrome outlet grommet Cat.No 81902 32	2080	1
-----------------	---	------	---

Fixing brackets



84000 50

84000 50	For mounting columns on floor with outlet tile Cat.No 84000 40	1526	1
-----------------	---	------	---

Floor box tile

450 x 450 mm

For lid + trim assemblies



84090 82

84090 82	For 3-compartment floor boxes (square opening 265 x 265 mm)	5036	1
-----------------	--	------	---

Cable worm

0535 98	2 compartments: power and data, Length: 0.75 m Colour: white	3392	1
----------------	---	------	---

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

Soluflex cable floor system

120 mm height

NEW!

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

Floor parts

Tile

84000 10	Supplied with 4 contact/ distance projections Can be positioned on supports Cat.No 84120 00	404	1
-----------------	--	-----	---

Support for tile

84120 00	100 x 100 mm support Height 120 mm With 2 grooves for tiles positioning Black - polypropylene	210	1
-----------------	---	-----	---

Edge plates

Used to finish installation against wall
Length 900 mm, width 300 mm, Trim to size on site

84000 60	Double edge plate 2 flanges of 13 mm	3178	1
84000 61	Single edge plate 1 flange of 13 mm	2458	1

Plenum sealing

84120 20	For edging the floor to create a step Length 900 mm, width 56 mm Height 120 mm	1780	1
-----------------	--	------	---

Plenum exterior angle

84120 30	56 x 56 mm	2700	1
-----------------	------------	------	---

Ramp

84120 40	Length 1181 mm, width 112 mm Ramp 10 % Include 1 extra support per tile	5502	1
-----------------	---	------	---

Earthing tile

84000 20	Supplied with 4 contact/ distance projections Earthing clamp max. 6 mm ² Use 1 tile per 100 m ² or in gangways max. 14 m apart	1352	1
-----------------	--	------	---

Cable outlet tile

84000 30	For cable access to work station Access 125 x 15 mm Supplied with 4 contact/ distance projections	2018	1
-----------------	---	------	---

Soluflex cable floor system

120 mm height

NEW!

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

Chromed outlet grommet

81902 32	For cable access to work station To be used with outlet tile Cat.No 84000 40	3178	1
-----------------	---	------	---

Outlet tile

84000 40	Supplied with 4 contact/ distance projections For integration of columns, pedestals+cable spine or chrome outlet grommet Cat.No 81902 32	2080	1
-----------------	---	------	---

Floor parts

Fixing brackets

84000 50	For mounting columns on floor with outlet tile Cat.No 84000 40	1526	1
-----------------	--	------	---

Floor box tile

450 x 450 mm
For lid + trim assemblies

84090 82	For 3-compartment floor boxes (square opening 265 x 265 mm)	5036	1
-----------------	--	------	---

Cable worm

0535 98	2 compartments: power and data Length: 0.75 m Colour: white	3392	1
----------------	--	------	---

Raceways and junction boxes

For screed floors

Confirms to EN 50 085 - 2 - 2
Raceways are made from PVC and Galvanised sheet.
Compatible with Cat.6 structured cabling system.

Raceways - PVC

Raceway - PVC - height 25 mm;

Standard length 2 meters*

Price per meter

Can be assembled to obtain multiple compartment
configurations

6897 00	75 mm x 25 mm - 1 compartment 150 mm x 25 mm - 2 compartments, use 2x Cat.No 6897 00	778	18/432*
6897 01	225 mm x 25 mm - 3 compartments 300 mm x 25 mm - 4 compartments raceways use 1x Cat.No 6897 00 + 1x Cat.No 6897 01	1472	2/160*

Bold Cat.Nos are products normally available with Legrand (India) Stockists.
Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order.
Bold packing quantity is our mandatory packing. Orders to be placed by
Legrand (India) Stockiest in multiples of the same.

*LP - List Price Inclusive of excise duty but exclusive of sales tax
or any other taxes.

Red Cat.Nos - new products


*No of meters in pack

*To be ordered in multiples of 2 meters


Raceways and junction boxes

for screed floors


NEW!



0896 67



0896 68



0896 69

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

Raceways - PVC

**Raceways - PVC - height 38 mm;
Standard length 2 meters⁺
Price per meter**

0896 67	50 mm x 38 mm - 1 compartment	742	24*
0896 68	100 mm x 38 mm - 2 compartments	1414	32*
0896 69	150 mm x 38 mm - 3 compartments	2086	20*

Raceways - Metal / GI

**Raceways - Metal/GI - height 25 mm; length 2.44 m.
Price per unit (One unit is of 2.44 meters)**

6895 10	50 mm x 25 mm - 1 compartment	1350	3/54 ⁽¹⁾
6895 11	75 mm x 25 mm - 1 compartment	1738	3/21 ⁽¹⁾
6895 12	100 mm x 25 mm - 1 compartment	2110	3/54 ⁽¹⁾
6895 13	150 mm x 25 mm - 1 compartment	2926	3/18 ⁽¹⁾
6895 14	225 mm x 25 mm - 3 compartments	4584	3/12 ⁽¹⁾
6895 15	300 mm x 25 mm - 3 compartments	5676	3/18 ⁽¹⁾

**Raceways - Metal/GI - height 38 mm; length 2.44 m
Price per unit (One unit is of 2.44 meters)**

6895 00	50 mm x 38 mm - 1 compartment	1566	3/54 ⁽¹⁾
6895 01	75 mm x 38 mm - 1 compartment	2070	3/21 ⁽¹⁾
6895 02	100 mm x 38 mm - 1 compartment	2506	3/54 ⁽¹⁾
6895 03	150 mm x 38 mm - 1 compartment	3362	3/36 ⁽¹⁾
6895 04	225 mm x 38 mm - 3 compartments	5086	3/12 ⁽¹⁾
6895 05	300 mm x 38 mm - 3 compartments	6234	3/18 ⁽¹⁾

Raceways accessories

Fixing bracket (GI)

For fixing raceways (PVC & Metal) on the floor

6897 09	50 mm x 25 mm (metal)	20	9
6897 10	75 mm x 25 mm (PVC and metal)	36	9
6897 12	100 mm x 25 mm (metal)	42	9
6897 15	150 mm x 25 mm (PVC and metal)	52	9
6897 20	225 mm x 25 mm (PVC and metal)	74	9
6897 30	300 mm x 25 mm (PVC and metal)	98	9

6897 20



Raceways and junction boxes

for screed floors

NEW!

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

Fixing bracket

6897 27	50 mm x 38 mm (PVC and metal)	22	9
6897 28	75 mm x 38 mm (metal)	40	9
6897 37	100 mm x 38 mm (PVC and metal)	48	9
6897 38	150 mm x 38 mm (PVC and metal)	58	9
6897 25	225 mm x 38 mm (metal)	90	9
6897 35	300 mm x 38 mm (metal)	112	9

Riser

6897 23	Vertical - 225 mm width raceways	1560	1
6897 33	Vertical - for 300 mm width raceways	1798	1

Coupler for joining raceways

6897 77	Coupling 38	94	6
6897 79	Coupling 25	70	6

Junction box

For direct access to cables at the intersection of raceways

Supplied completely with base and cover plate (Lid)

Height adjustable junction box 65 - 90 mm

6896 10	150 x 150 x 65 - 90 mm	1704	1
6896 11	225 x 225 x 65 - 90 mm	2112	1
6896 12	300 x 300 x 65 - 90 mm	2838	1
6896 13	400 x 400 x 65 - 90 mm	4214	1

Height adjustable junction box 65 - 90 mm with fly over

For direct access to cables at the intersection of floor raceways while maintaining perfect separation and 90° cross overs between data and power cables


6896 14	225 x 225 x 65 - 90 mm with flyover	2320	1
6896 15	300 x 300 x 65 - 90 mm with flyover	3094	1
6896 16	400 x 400 x 65 - 90 mm with flyover	4636	1

Optional site cover for junction box

6896 18	150 x 150 x 65 - 90 mm with metal cover	190	10
6896 19	225 x 225 x 65 - 90 mm with metal cover	276	10
6896 20	300 x 300 x 65 - 90 mm with metal cover	422	10
6896 21	400 x 400 x 65 - 90 mm with metal cover	634	10

Height adjustable junction box 50 - 70 mm


6896 22	Adj JB 150 x 150 x 50-70 mm	1570	1
6896 23	Adj JB 225 x 225 x 50-70 mm	1964	1
6896 24	Adj JB 300 x 300 x 50-70 mm	2614	1
6896 25	Adj JB 400 x 400 x 50-70 mm	3920	1




6897 23




6897 79



6896 11



6896 20



6896 15

*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Red Cat.Nos - new products

*No of meters in pack


(1) Unit of measure in Nos

*To be ordered in multiples of 2 meters


Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

Floor boxes for carpet for raised floor, screed floor


NEW!



6896 38 +
6896 31



6896 62



6896 17



6896 78



6896 34 +
6896 31

Floor boxes for raised floor

Cat.Nos	Description	LP* ₹ / Unit	Pack
6896 38	Full backbox for raised floor 3 compartments (264x264 mm) height 86 mm	2682	1
6896 31	Lid & trim Grey cover RAL 7031 for 3 compartment floor box with flexible cable exits Size 265 mm x 265 mm	2012	5

Support plates for floor boxes 77 mm width plate

6896 62	Blank plates for floor box	384	12
6896 17	Flat support plate 8 module for integration of Myrius/Arteor mechanisms	182	1
6896 78	Waved support plates. For 4 modules (2 x 2 modules)	1060	4

Floor boxes for screed floor (3 Compartment)

6896 34#	Full backbox for screed floor 3 compartments (for ducting upto 225 mm). Height adjustable to screed height 65 to 90 mm	4156	1
6896 31#	Lid & trim Grey cover RAL 7031 for 3 compartment floor box with flexible cable exits. Size 265 mm x 265 mm	2012	5

Support plates for floor boxes 77 mm width plate

6896 62	Blank plates for floor box	384	12
6896 17	Flat support plate 8 module for integration of Myrius/Arteor mechanisms	182	1
6896 78	Waved support plates for 4 modules (2x2 modules)	1060	4

Floor boxes for screed floor (4 Compartment)

6896 41	Full backbox for screed floor 4 compartments (for ducting upto 300 mm). Height adjustable to screed height 65 to 90 mm. To be used with 6896 45	2264	1
6896 45	Lid & trim Grey cover RAL 1019 for 4 compartment floor box with flexible cable exits. To be used with 6896 41	4712	5

Support plates for floor boxes 77 mm width plate


6896 62	Blank plates for floor box	384	12
6896 17	Flat support plate 8 module for integration of Myrius/Arteor mechanisms	182	1
6896 78	Waved support plates for 4 modules (2x2 modules)	1060	4

Stainless steel insert for Lid

For a metal finish on lid
To be used instead of fitting carpet onto the Lid

6896 92	For 3 compartment floor boxes dimension : 245.5x210 mm	2546	1
---------	---	------	---

Floor boxes for tile / marble For screed floor



0896 04 +
6896 52

0896 04	Backbox for screed floor; Screed thickness 65 to 90 mm	3584	1
6896 52	Lid & trim for tiles / marble 15 to 22 mm thickness Stainless steel material AISI 304. 2 cable outlet	17418	1


*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Red Cat.Nos - new products


*6896 34 + 6896 31 with support plates and wiring devices

Floor boxes for tile / marble for screed floor

NEW!



0896 04 +
6896 55



0896 04 +
6896 56

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	--------------------	------

For screed floor

6896 55	Lid & Trim for tile 8-15 mm thickness Material for head band & single cable outlet - galvanised steel + paint RAL 7031	4774	1
6896 56	Lid & Trim for tile 8-15 mm thickness Material for head band & single cable outlet - stainless steel 304	5822	1

Support plates for floor boxes 77 mm width plate

6896 62	Blank plates for floor box. Flat support plate	384	12
6896 17	8 module for integration of Myrius/Arteor	182	1
6896 78	Waved support plates. For 4 Modules (2x2 Modules) mechanisms	1060	4

50mm Reduced Height Floor Boxes

0880 73	Back Box for Concrete Floor (to be used with 088070)	5396	1
0880 70	Lid and Trim for Screed Floor between 50 and 70 mm. With Cover for carpet; grey RAL 7031 Can be equipped with SS finishing plate 088072 16 Module	5328	1
0880 72	Stainless Steel finishing plate for 50 mm floor box	3320	1

Floor boxes 3 module for screed floor and raised floor

Floor service outlet boxes - 3 modules

0896 44	Floor service outlet box - 3 modules. Grey RAL 7031. To be equipped with Arteor Mechanism	1108	1
0896 49	Flush mounting box for concrete for Cat.No 0896 44	738	1



0896 44



0896 49


Heavy duty in-screed floor box For screed floors

Metal in-screed floor box

0896 34	Universal metal in-screed backbox	14550	1
---------	-----------------------------------	-------	---

Accessories for metal in-screed floor box

0896 83	Normal load support upto 8 KN load with deflection <6 mm	14550	1
0896 84	Heavy load support Up to 20 KN load with deflection <3 mm	25058	1



0896 34 +
0896 83 +
0896 85

Plates for metal in-screed floor boxes

0896 85	IP 66 plain cover (cover closed) access trap for junction. No cable exit	25300	1
---------	--	-------	---

Heavy duty in screed floor box with cable exit

0896 34	Metal in-screed floor box	14550	1
---------	---------------------------	-------	---

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

NEW!

Heavy duty in-screed floor box for screed floors

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

Accessories for metal in screed floor box

0896 83	Normal load support upto 8 KN load with deflection <6 mm	14550	1
0896 84	Heavy load support up to 20 KN load with deflection <3 mm	25058	1

Plates for metal in-screed floor boxes

0896 86	IP 66 plate (cover closed and plugs not connected) with central cable exit	51586	1
0896 87	IP 14 Cable exit accessory for IP66 cover plate Cat.No 0896 86 be used as a simple access to the floor void	27566	1

Floor access unit

For raised floors

IP 20 - IK 08

0893 07	Access master box Circular floor box that can	5266	1/10
---------	---	------	------

Pop-up type flush-mounting boxes for workstation & meeting room table applications

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

Pop-up boxes to be equipped

Slim design for perfect integration into the floor or office furniture
Soft opening for enhanced comfort and safety
Equipped with "push and slide" locking system to avoid accidental opening by feet
To be equipped with Arteor/Myrius socket outlets
For installation use the flush-mounting boxes for concrete floors or the kits for raised access floors or table top

3 modules

0540 10	Matt aluminium finish	1782	1
0540 15	Brushed brass	2466	1
0540 20	Brushed Stainless steel finish	2492	1

4 modules

0540 11	Matt aluminium finish	2136	1
0540 16	Brushed brass	2916	1
0540 21	Brushed Stainless Steel finish	2994	1
0540 26	Matt black	2636	1
0540 31	Glossy white	2700	1

6 (2 x 3) modules

0540 12	Matt aluminium finish	3954	1
0540 17	Brushed brass	5292	1
0540 22	Brushed stainless steel finish	5486	1

8 (2 x 4) modules

0540 13	Matt aluminium finish	4748	1
0540 18	Brushed brass	6350	1
0540 23	Brushed stainless steel finish	6584	1
0540 28	Matt black	5802	1
0540 33	Glossy white	5942	1

*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

*MRP - Maximum Retail Price Inclusive of all taxes.

Red Cat.Nos - new products

* Finishing Plates to be ordered separately

NEW!

Pop-up type flush-mounting boxes for workstation & meeting room table applications

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

Installation kits for raised access floors or table top

Include an empty receptacle and fixing brackets for raised access floor tiles or table tops
Equipped with cable retainer for power cables, to ensure increased safety of the installation
Compatible with:

- Cat. 6 data cabling
- Audio/video cabling

0540 05	3 modules	804	1
0540 07	6 (2 x 3) modules	1340	1
0540 06	4 modules	938	1
0540 08	8 (2 x 4) modules	1604	1

Flush-mounting boxes for installation in concrete floors

For installation of pop-up floor boxes in concrete floors
Equipped with knockouts for Ø 20 and Ø 25 mm conduits

Metal flush-mounting boxes

0540 00	3 modules	212	1
0540 02	6 (2 x 3) modules	454	1
0540 01	4 modules	284	1
0540 03	8 (2 x 4) modules	568	1

Power & data desk grommets

for workstation & meeting room table application

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

Empty power & data desk grommets

To be equipped with Myrius or Arteor socket outlets,
Easily retro fitted into a 60 to 80 mm diameter hole in current office desks and workspace table tops (by replacing the desk grommet)
Cover opens to 180° angle to prevent breaking

For one 2P+E socket

0540 70*	White RAL 9003, to be equipped with 1 socket	1486	1
0540 71*	Black RAL 9017, to be equipped with 1 socket	1378	1

For one 2P+E socket and USB phone charger

Supplied with one USB phone charger output
5 V= 750 mA, to be wired

0540 72*	White RAL 9003 with USB, to be equipped with 1 socket	3548	1
0540 73*	Black RAL 9017 with USB, to be equipped with 1 socket	3864	1


Pre-wired modules with retractable cords

For fitting on an empty power & data desktop modules (under the table top)
Automatic cable rewind when not connected, for an optimized use of the desk surface

Cat. 6 FTP

0540 65	Equipped with: - 1.35 m RJ 45 Cat. 6 FTP retractable cord on the user side and - 1 x RJ 45 socket on the installation side Patch cord for connection to data network to be ordered separately	2170	1
---------	--	------	---

Bold Cat.Nos are products normally available with Legrand (India) Stockists.
Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order.
Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.



0896 34 +
0896 83 +
0896 86 +
0896 87



0893 07



0540 15



0540 16



0540 17



0540 13



0540 18



0540 23



0540 28



0540 33



0540 06



0540 00



0540 70
+ 0540 60



0540 73
+ 0540 62



0540 73



0540 65

NEW!

Power & data desk grommets for workstation & meeting room table application

Cat.Nos	Description	LP* ₹ / Unit	Pack
0540 67	Equipped with- 1.35 m retractable cord with micro USB connector, on the user side and - 0.5 m cable with USB connector on the installation side	1968	1



0540 67



0540 60



0540 62



0540 63

Finishing plates for empty power & data desk grommets

For fitting on an empty power & data desk grommets

0540 60	White RAL 9003	216	10
0540 62	Black RAL 9017	236	10
0540 63	Stainless Steel	862	10

Desktop multi-outlet extensions

- Aluminium extensions with grey end caps RAL 7035. Reversible cable guide for grouping cords of connected devices
- Designed to have 45° Slope for easy insertion of angled plug
- An ideal solution dedicated to nomadic people and / or satisfy a esthetic needs
- Products answering all needs of office users
- Possibility to organise cables and plugs through the cable guide (reversible if not used)
- A specific accessory allowing to fit the product on the desk in 3 different position
- A reliable and secure installation with conformity to NFC 61-314
- Index of protection: IK7



0535 90



0535 91



0535 92

Empty desktop multioutlet extensions

Aluminium extensions with cable guide (reversible) To be equipped with Arteor sockets

0535 90	8 modules	3438	1
0535 91	12 modules	3808	1
0535 92	16 modules	4546	1

Accessories

Fixing accessory

0535 99	Fixing accessory to clip on desktop	1968	5
----------------	-------------------------------------	------	---



0535 99

Cable worm

0535 98	2 compartments Length: 0.75 m White colour Very suitable solution for a safe and design protection of the cabling between desk and floor	3392	1
----------------	--	------	---



0535 98

Flush mounting power and data module

A ready to embed solution for all dry support with thickness between 2 and 40 mm. Conform to standard NFC 61-314 which ensures safety of the user Aesthetic product (no visible screw), thickness of 6mm only. Product available in 8 and 12 module, with the option of configuring power sockets, data, AV, protection etc. 3 Finishes; white/ black and aluminium

Flush mounting power and data module to be equipped

Aluminium extensions with cable guide (reversible) To be equipped with Arteor sockets

8 module; length - 180 mm

0535 60	Flush 8 module white finish	3880	1
0535 61	Flush 8 module aluminium finish	4658	1
0535 62	Flush 8 module black finish	3842	1




0535 60

Flush mounting power and data module

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

12 module; length - 270 mm

0535 63	Flush 12 module white finish	4154	1
0535 64	Flush 12 module aluminium finish	5006	1
0535 65	Flush 12 module black finish	4114	1



0756 01

0756 08

0756 09

0756 09

0756 09

0756 61

0756 66

0756 69

0105 80

0756 90

0756 21

0756 31

0756 41

0756 11

0756 71

0756 81

0756 88

Snap-on trunking 45 mm cover 50x80 routing sections and accessories

Snap-on trunking

1-compartment trunking

0756 01	Snap-on trunking can take any Arteor wiring accessory Includes: - 1 body - 1 cover, width 45 mm	804	20 ⁽¹⁾
----------------	---	-----	-------------------

Extra cover

0756 08	Width 45 mm	312	20 ⁽¹⁾
----------------	-------------	-----	-------------------

Extra partition

0756 09	Divider	174	26 ⁽¹⁾
----------------	---------	-----	-------------------

Fishplate body joint

0756 61	Used to join 2 bodies and simplifies fixing sections to the wall - set of 2	280	10
----------------	---	-----	----

Joint

0756 66	Stick-on body joint	180	20
----------------	---------------------	-----	----

Cover joint

0756 69	Cover joint, width 45 mm	98	10
----------------	--------------------------	----	----

Height spacer

0105 80	Colour charcoal grey For fitting 15 mm from the ground	404	24 ⁽¹⁾
----------------	--	-----	-------------------

Soluclip accessory

0756 90	For installation with any Arteor function	138	10
----------------	---	-----	----

Angles

0756 21	Internal angle, varies from 80° to 100°	372	10
0756 31	External angle, varies from 85° to 120°	768	10
0756 41	Flat angle at 90°	454	10

End caps

0756 11	Left or right end cap	162	10
----------------	-----------------------	-----	----

Flat junctions

With 80 mm wide sections

0756 71	Creates a junction with snap-on trunking 50 x 80 mm	620	5
----------------	---	-----	---

Angled junction

0756 81	Creates a junction in an internal angle with snap-on trunking 50 x 80, Must be used in conjunction with internal angle	1368	5
----------------	--	------	---

Junction with floor duct

0756 88	Creates a junction with a floor duct size 50 x 12 mm or 92 x 20 mm	714	5
----------------	--	-----	---

*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Red Cat.Nos - new products

(1) Price in Meters; No of meters in Pack, Standard length 2 meters to be ordered in multiples of 2 meters

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

Snap-on trunking 45mm cover 50x105 routing sections and accessories

Cat.Nos	Description	LP* ₹ / Unit	Pack
Snap-on trunking			
1-compartment trunking			
0756 02	Snap-on trunking can take any Arteor wiring accessory Includes: - 1 body - 1 cover, width 45 mm	1020	12 ⁽¹⁾
Extra cover			
0756 08	Width 45 mm	312	20 ⁽¹⁾
Extra partition			
0756 09	Divider	174	26 ⁽¹⁾
Fishplate body joint			
0756 62	Used to join 2 bodies and simplifies fixing sections to the wall - set of 2	372	10
Joint			
0756 67	Stick-on body joint	218	20
Cover joint			
0756 69	Cover joint, width 45 mm	98	10
Height spacer			
0105 80	Colour charcoal grey For fitting 15 mm from the ground	404	24 ⁽¹⁾
Soluclip accessory			
0756 90	For installation with any Arteor function	138	10
Angles			
0756 22	Internal angle, varies from 80° to 100°	518	10
0756 32	External angle, varies from 85° to 120°	1184	10
0756 42	Flat angle at 90°	594	10
End caps			
0756 12	Left or right end cap	162	10
Flat junctions			
With 80 mm wide sections			
0756 72	Creates a junction with snap-on trunking 50 x 80 mm	620	5
With 105 mm wide sections			
0756 76	Creates a junction with snap-on trunking 50 x 105 mm	664	5
Angled junction			
0756 81	Creates a junction in an internal angle with snap-on trunking 50 x 80, 50 x 105 mm, 50 x 130 mm Must be used in conjunction with internal angle	1368	5
Junction with floor duct			
0756 88	Creates a junction with a floor duct size 50 x 12 mm or 92 x 20 mm	714	5

Snap-on trunking 45mm cover 50x130 routing sections and accessories

Cat.Nos	Description	LP* ₹ / Unit	Pack
Snap-on trunking			
2-compartment trunking			
0756 03	Snap-on trunking Can take any Arteor wiring accessory Includes: - 1 body with 2 compartments - 2 covers, width 45 mm	1406	12 ⁽¹⁾
Extra cover			
0756 08	Width 45 mm	312	20 ⁽¹⁾
Fishplate body joint			
0756 61	Used to join 2 bodies and simplifies fixing sections to the wall - set of 2	280	10
Stick-on body joint			
0756 66	For top part of body	180	20
Cover joint			
0756 69	Cover joint, width 45 mm	98	10
Height spacer			
0105 80	Colour charcoal grey For fitting 15 mm from the ground	404	24 ⁽¹⁾
Soluclip accessory			
0756 90	For installation with any Arteor function	138	10
Angles			
0756 23	Internal angle, varies from 80° to 100°	870	5
0756 33	External angle, varies from 85° to 120°	1606	5
0756 43	Flat angle at 90°	1184	5
End caps			
0756 13	Left or right end cap	266	5
Flat junctions			
For 80 mm wide downward trunking			
0756 71	Creates a junction with snap-on trunking 50 x 80 mm	620	5
For 105 mm wide upward trunking			
0756 75	Creates a junction with snap-on trunking 50x105 mm	606	5
Angled junction			
0756 81	Creates a junction in an internal angle with snap-on trunking 50 x 80, 50 x 105 mm, 50 x 130 mm Must be used in conjunction with internal angle	1368	5
Junction with floor duct			
0756 88	Creates a junction with a floor duct size 50 x 12 mm or 92 x 20 mm	714	5

*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

(1) Price in Meters; No of meters in Pack, Standard length 2 meters to be ordered in multiples of 2 meters

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

Snap-on trunking 45mm cover 50x145 routing sections and accessories

Cat.Nos	Description	LP* ₹ / Unit	Pack
Snap-on trunking			
2-compartment trunking			
0756 04	Snap-on trunking Can take any Arteor wiring accessory Includes: - 1 body with 2 compartments - 2 covers, width 45 mm	1806	8 ⁽¹⁾
Extra cover			
0756 08	Width 45 mm	312	20 ⁽¹⁾
Fishplate body joint			
0756 63	Used to join 2 bodies and simplifies fixing sections to the wall - set of 2	322	10
Stick-on body joint			
0756 66	For top part of body	180	20
0756 67	For bottom part of body	218	20
Cover joint			
0756 69	Cover joint, width 45 mm	98	10
Height spacer			
0105 80	Colour charcoal grey, For fitting 15 mm from the ground	404	24 ⁽¹⁾
Soluclip accessory			
0756 90	For installation with any Arteor function	138	10
Angles			
0756 24	Internal angle, varies from 80° to 100°	1394	5
0756 34	External angle, varies from 85° to 120°	1892	5
0756 44	Flat angle at 90°	1108	5
End caps			
0756 14	Left or right end cap	274	5
Flat junctions			
For 80 mm wide downward trunking			
0756 72	Creates a junction with snap-on trunking 50x80mm	620	5
For 80 mm wide upward trunking			
0756 71	Creates a junction with snap-on trunking 50x80 mm	620	5
For 105 mm wide downward trunking			
0756 76	Creates a junction with snap-on trunking 50x105 mm	664	5
For 105 mm wide upward trunking			
0756 75	Creates a junction with snap-on trunking 50x105 mm	606	5
Angled junction			
0756 81	Creates a junction in an internal angle with snap-on trunking 50x80, 50x105 mm, 50x130 mm Must be used in conjunction with internal angle	1368	5
Junction with floor duct			
0756 88	Creates a junction with a floor duct size 50 x 12 mm or 92 x 20 mm	714	5

*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.


(1) Price in Meters; No of meters in Pack, Standard length 2 meters to be ordered in multiples of 2 meters

Snap-on trunking 45mm cover 50x180 routing sections and accessories

Cat.Nos	Description	LP* ₹ / Unit	Pack
Snap-on trunking			
3-compartment trunking			
0756 06	Snap-on trunking Can take any Arteor wiring accessory Includes: - 1 body with 3 compartments - 3 flexible covers, width 45 mm	1996	8 ⁽¹⁾
Extra cover			
0756 08	Width 45 mm	312	20 ⁽¹⁾
Fishplate body joint			
0756 61	Used to join 2 bodies and simplifies fixing sections to the wall - set of 2	280	10
Stick-on body joint			
0756 66	For top part of body	180	20
Cover joint			
0756 69	Cover joint, width 45 mm	98	10
Height spacer			
0105 80	Colour charcoal grey For fitting 15 mm from the ground	404	24
Soluclip accessory			
0756 90	For installation with any Arteor function	138	10
Angles			
0756 26	Internal angle, varies from 80° to 100°	1234	5
0756 36	External angle, varies from 85° to 120°	2244	5
0756 46	Flat angle at 90°	2220	5
End caps			
0756 16	Left or right end cap	304	5
Flat junctions			
With 80 mm wide sections			
0756 71	Creates a junction with snap-on trunking 50 x 80 mm	620	5
With 105 mm wide sections			
0756 75	Creates a junction with snap-on trunking 50 x 105 mm	606	5
Angled junction			
0756 81	Creates a junction in an internal angle with snap-on trunking 50 x 80, 50 x 105 mm, 50 x 130 mm Must be used in conjunction with internal angle	1368	5
Junction with floor duct			
0756 88	Creates a junction with a floor duct size 50 x 12 mm or 92 x 20 mm	714	5


Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

DLP mini trunking



Cable-grip

It makes the installation easier and faster by containing all the wires inside the trunking body before the cover is clipped



Comfortable implementation

- During installation, the conductors stay in place in the 1 compartment mini-trunking thanks to cable-grip membranes



Speed of installation

- Cable holding is integrated with the trunking (no staple to add)
- Easy conductors position
- Quick cover fitting

*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

(1) Price in Meters; No of meters in Pack, Standard length 2 meters to be ordered in multiples of 2 meters

DLP U-PVC trunking system mini-trunking system

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

Mini-trunking - 32 x 12.5 mm

0300 15	Without central partition	98	80 ⁽¹⁾
---------	---------------------------	----	-------------------

Finishing accessories

0312 03	End cap right or left	46	20/400
0302 51	Changeable internal-external angle from 60° to 120°	64	10/100
0302 53	Changeable flat angle from 85° to 95°	72	10/100
0302 54	Flat junction	92	10/200
0336 03	White 32x10/12.5 Cover Gasket	90	20

Mini-trunking - 32 x 16 mm

0308 04	Without central partition	114	60 ⁽¹⁾
---------	---------------------------	-----	-------------------

Finishing accessories

0312 07	End cap right or left	68	10/500
0333 25	Changeable internal-external angle from 60° to 120°	78	10/100
0333 27	Changeable flat angle from 85° to 95°	76	10/100
0333 30	Flat junction	108	10/200
0336 04	White 32x16/20 Cover Gasket	90	20

Mini-trunking - 32 x 20 mm

0300 17	Without partition	136	50 ⁽¹⁾
---------	-------------------	-----	-------------------

Finishing accessories

0312 09	End cap right or left	100	10/200
0302 71	Changeable internal-external angle from 60° to 120°	92	10/100
0302 73	Changeable flat angle from 85° to 95°	78	10/100
0302 74	Flat junction	90	10/100
0336 04	White 32x16/20 Cover Gasket	90	20

DLP U-PVC trunking system and accessories 80 x 50

Trunking and fittings

Trunking

Bodies

0104 12	Supplied without cover 80 x 50 mm	506	20 ⁽¹⁾
---------	-----------------------------------	-----	-------------------

Flexible cover

0105 21	Fits onto the whole branch including in internal or external angles	248	20 ⁽¹⁾
---------	---	-----	-------------------

Partitions

0105 82	Separation partition for 80 x 50 trunking	166	24 ⁽¹⁾
---------	---	-----	-------------------

Joints

0106 91	Body joint, for aligning bases during installation	56	20/200
0108 01	Cover joint	100	10/100

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

DLP U-PVC trunking system and accessories 80 x 50

trunking and fittings

Cat.Nos	Description	LP* ₹ / Unit	Pack
Angles and end caps			
Internal and external angles			
Include the 2 components for the top and bottom of the trunking on which the flexible cover is fitted			
0106 02	Internal angle, adjustable from 80° to 100°	350	10/40
0106 22	External angle, adjustable from 60° to 120°	352	10/50
0107 67	Flat angle - 90° flat angle	478	10
0107 22	End cap - Left or right end cap	138	10/50
Junctions			
0107 32	Flat junctions to tap-off to a branch smaller than 50 x 105	640	10
0107 35	For specific size tap-off to 80 mm wide branch	374	5/25
Accessories			
Holding cables in place			
0106 82	Clip	48	50
VDI accessories			
0107 80	For internal angles	534	5/50
0107 81	For external angles	572	5/50
0107 82	For flat angles	610	5/50
0107 83	For flat junctions	736	5/50
Additional accessories			
0106 98	Wall crossing for trunking 80 to 150 mm width	612	5/25
0308 81	Cable tie base	22	100/1000
0111 88	Earthing link	234	20/500
Capacity change			
Allows to increase 15mm height of trunking to preserve the space of wiring with a flat junction or a support equipment			
0106 87	Raise, length 57 cm	222	40
0106 88	Set of 4 accessories to change capacity of the body	278	10/100
0106 89	Set of 2 accessories of change height of partition (to be used only on trunking with multi compartments)	280	5/50
Supports for mounting wiring accessories			
Arteor™ supports			
Clip-on supports which can be fitted side by side Supplied with finishing plate			
0109 21	2 modules	120	20
0109 31	3 modules	170	5/50
0109 41	4 modules	182	10/50
0109 61	6 modules	214	5/25
0109 27	Insulation unit for 2 modules (Arteor™) can be fitted together to create 4/6 module supports	216	10/100
0109 37	Insulation unit for 3 modules (Arteor™) supports	256	5/50
Legrand Lexic support			
0109 25	2 modules	750	5

*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

(1) Price in Meters; No of meters in Pack, Standard length 2 meters to be ordered in multiples of 2 meters

Red Cat.Nos - new products

DLP U-PVC trunking system and accessories 105 x 50

trunking and fittings

Cat.Nos	Description	LP* ₹ / Unit	Pack
Trunking			
Bodies			
0104 22	Supplied without cover 105 x 50 mm	628	20 ⁽¹⁾
Flexible cover			
Fits onto the whole branch including in internal or external angles			
0105 22	Full cover width 85 mm	282	20 ⁽¹⁾
0105 20	Full covers width 40 mm	250	20 ⁽¹⁾
Partitions			
0105 82	Separation partition for 105 x 50 trunking	166	24 ⁽¹⁾
0104 72	Plastic clip-on partition	246	48 ⁽¹⁾
0111 06	Aluminium clip-on partition	956	12 ⁽¹⁾
Joints			
0106 91	Body joint For aligning bases during installation	56	20/200
0108 02	Cover joint for 85 mm width	152	10/100
0108 00	Cover joint for 40 mm width	114	10/100
Angles and end caps			
Internal and external angles Include the 2 components for the top and bottom of the trunking on which the flexible cover is fitted			
0106 02	Internal angle, adjustable from 80° to 100°	350	10/40
0106 22	External angle, adjustable from 60° to 120°	352	10/50
0107 85	Flat angle - 90° flat angle	498	10
0107 02	End cap Left or right end cap	130	20/100
Junctions			
0107 32	Flat junction to tap-off a branch smaller than 50 x 105	640	10
0107 35	For tap-off to an 80 mm wide branch	374	5/25
0107 36	For tap-off to an 105 mm wide branch equipped with an 85 mm cover	368	5/25
Partion junction			
0106 11	For internal angles	214	5/50
0106 32	For external angles	322	5/50
0107 42	For flat angles	766	5/25
Accessories			
Holding cables in place			
0106 82	Clip	48	50
VDI accessories			
0107 80	For internal angles	534	5/50
0107 81	For external angles	572	5/50
0107 82	For flat angles	610	5/50
0107 83	For flat junctions	736	5/50

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

DLP U-PVC adaptable trunking system 105 x 50

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

Accessories

Additional accessories

0106 98	Wall crossing for trunking 80 to 150 mm width	612	5/25
0308 81	Cable tie base	22	100/1000
0111 88	Aluminium earthing link	234	20/500

Capacity Change

Allows to increase 15mm height of trunking to preserve the space of wiring with a flat junction or a support equipment

0106 87	Raise, length 57cm	222	40
0106 88	Set of 4 accessories to change capacity of the body	278	10/100
0106 89	Set of 2 accessories of change height of partition (to be used)	280	5/50

Supports for mounting wiring accessories

Arteor™ supports

Clip-on supports which can be fitted side by side
Supplied with finishing plate

0109 10	1 modules-for 40 mm cover	128	5/50
0109 22	2 modules-for 85 mm cover	126	20
0109 32	3 modules-for 85 mm cover	178	5/50
0109 42	4 modules-for 85 mm cover	182	20
0109 62	6 modules-for 85 mm cover	244	10
0109 27	Insulation unit for 2 modules (Arteor™) can be fitted together to create 2/4/6 module supports	216	10/100
0109 37	Insulation unit for 3 modules (Arteor™) supports	256	5/50

Legrand Lexic supports

0109 35	3 modules	890	5
---------	-----------	-----	---

DLP U-PVC adaptable trunking system and accessories 150 x 50

Trunking and fittings

Trunking

Bodies

Supplied without cover

0104 32	150 x 50 mm	1064	10 ⁽¹⁾
---------	-------------	------	-------------------

Flexible cover

Fits onto the whole branch including in internal or external angles

0105 24	Full cover width 130 mm	594	8
0105 22	Full cover width 85 mm	282	20
0105 21	Full cover width 65 mm	248	20
0105 20	Full cover width 40 mm	250	20

Partitions

0105 82	Separation partition for 105 x 50 trunking	166	24 ⁽¹⁾
0104 72	Plastic clip-on partition	246	48
0111 06	Aluminium clip-on partition	956	12

Joints

0106 91	Body joint - For aligning bases during installation	56	20/200
0108 04	Cover joint for 130 mm width	252	10/100
0108 02	Cover joint for 85 mm width	152	10/100
0108 01	Cover joint for 65 mm width	100	10/100
0108 00	Cover joint for 40 mm width	114	10/100

*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

(1) Price in Meters; No of meters in Pack, Standard length 2 meters to be ordered in multiples of 2 meters

DLP U-PVC trunking system and accessories 150 x 50 trunking and fittings

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

Angles and end caps

Internal and external angles

Include the 2 components for the top and bottom of the trunking on which the flexible cover is fitted

0106 02	Internal angle, adjustable from 80° to 100°	350	10/40
0106 22	External angle, adjustable from 60° to 120°	352	10/50

Flat angle

0107 89	900 flat angle	1654	5
---------	----------------	------	---

End cap

0107 06	Left or right end cap	250	10/50
---------	-----------------------	-----	-------

Junctions

0107 32	Flat junction to tap-off a branch smaller than 50 x 105 To tap-off a branch of 150 x 50, use 2 nos of 0107 32 (2 x 0107 32)	640	10
0107 35	To tap-off to an 80 mm wide branch	374	5/25
0107 36	To a tap-off to a 105 mm wide branch equipped with a 85 mm cover	368	5/25
0107 37	Flat junction for specific size - tap off to an 105 mm wide branch with 65 mm cover	370	5/25

Partition junction

0106 11	For internal angles	214	5/50
0106 32	For external angles	322	5/50
0107 42	For flat angles	766	5/25

Accessories

Holding cables in place

0106 86	Clip for 130 mm width cover	86	50
0106 82	Clip for 65 mm width cover	48	50

VDI accessories

0107 80	For internal angles	534	5/50
0107 81	For external angles	572	5/50
0107 82	For flat angles	610	5/50
0107 83	For flat junctions	736	5/50

Mounting wiring accessories

Accessories

Additional accessories

0106 98	Wall crossing for trunking 80 to 150 mm width	612	5/25
0308 81	Cable tie base	22	100/1000
0111 88	Earthing link	234	20/500

Capacity change

Allows to increase 15mm height of trunking to preserve the space of wiring with a flat junction or a support equipment

0106 87	Raise, length 57cm	222	40
0106 88	Set of 4 accessories to change capacity of the body	278	10/100
0106 89	Set of 2 accessories of change height of partition (to be used)	280	5/50

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

DLP U-PVC adaptable trunking 150 x 50 mounting wiring accessories

Cat.Nos	Description	LP* ₹ / Unit	Pack
Supports for mounting wiring accessories			
Arteor™ supports			
Clip-on supports which can be fitted side by side Supplied with finishing plate			
0109 10	1 modules-for 40 mm cover	128	5/50
0109 21	2 modules-for 65 mm cover	120	20
0109 22	2 modules-for 85 mm cover	126	20
0109 31	3 modules-for 65 mm cover	170	5/50
0109 32	3 modules-for 85 mm cover	178	5/50
0109 41	4 modules-for 65 mm cover	182	10/50
0109 42	4 modules-for 85 mm cover	182	20
0109 61	6 modules-for 65 mm cover	214	5/25
0109 62	6 modules-for 85 mm cover	244	10
0109 27	Insulation unit for 2 modules (Arteor™) can be fitted together to create 4/6 module supports	216	10/100
0109 37	Insulation unit for 3 modules (Arteor™) supports	256	5/50
Legrand Lexic supports			
0109 25	For 2 modules for 65 mm cover (2 comp.)	750	5
0109 65	For 6 modules for 130 mm cover (1 comp.)	1000	5
0109 00	Hypra socket support - for 130 mm cover	1448	5
DLP U-PVC adaptable trunking system and accessories 195 x 50			
Trunking and fittings			
Trunking			
Bodies			
Supplied without cover			
0104 52	195 x 50 mm	1412	8 ⁽¹⁾
Flexible cover			
Fits onto the whole branch including in internal or external angles			
0105 26	Full cover width 180 mm	756	8 ⁽¹⁾
0105 22	Full cover width 85 mm	282	20 ⁽¹⁾
0105 24	Full cover width 130 mm	594	8 ⁽¹⁾
0105 21	Full cover width 65 mm	248	20 ⁽¹⁾
0105 20	Full cover width 40 mm	250	20 ⁽¹⁾
Partitions			
0105 82	Separation partition for 195 x 50 trunking	166	24 ⁽¹⁾
0104 72	Plastic clip-on partition	246	48 ⁽¹⁾
0111 06	Aluminium clip-on partition	956	12 ⁽¹⁾
Joints			
0106 91	Body joint - For aligning bases during installation	56	20/200
0108 06	Cover joint for 180 mm width	234	10/100
0108 02	Cover joint for 85 mm width	152	10/100
0108 04	Cover joint for 130 mm width	252	10/100
0108 01	Cover joint for 65 mm width	100	10/100
0108 00	Cover joint for 40 mm width	114	10/100
Angles and end caps			
Internal and external angles			
Include the 2 components for the top and bottom of the trunking on which the flexible cover is fitted			
0106 02	Internal angle, adjustable from 80° to 100°	350	10/40
0106 22	External angle, adjustable from 60° to 120°	352	10/50
Flat angle			
0107 92	90(0) flat angle	2120	2
End cap			
0107 07	Left or right end cap	296	5/50

*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

(1) Price in Meters; No of meters in Pack, Standard length 2 meters to be ordered in multiples of 2 meters

DLP U-PVC adaptable trunking system and accessories 195 x 50 trunking and fittings

Cat.Nos	Description	LP* ₹ / Unit	Pack
Junctions			
0107 32	Flat junction to tap-off a branch smaller than 50x105 To tap-off a branch of 150 x 50, use 2 nos of 0107 32 (2 x 0107 32)	640	10
0107 35	To tap-off to an 80 mm wide branch	374	5/25
0107 36	To a tap-off to a 105 mm wide branch equipped with a 85 mm cover	368	5/25
0107 37	Flat junction for specific size - tap off to an 105 mm wide branch with 65 mm cover	370	5/25
Partition junction			
0106 11	For internal angles	214	5/50
0106 32	For external angles	322	5/50
0107 42	For flat angles	766	5/25
Accessories			
Holding cables in place			
0106 86	Clip for 130 mm width cover	86	50
0106 82	Clip for 40 mm width cover	48	50
VDI accessories			
0107 80	For internal angles	534	5/50
0107 81	For external angles	572	5/50
0107 82	For flat angles	610	5/50
0107 83	For flat junctions	736	5/50
Additional accessories			
0106 99	Wall crossing for trunking 195 mm width	638	5/25
0308 81	Cable tie base	22	100/1000
0111 88	Earthing link	234	20/500
Capacity Change			
Allows to increase 15mm height of trunking to preserve the space of wiring with a flat junction or a support equipment			
0106 87	Raise, length 57 cm	222	40
0106 88	Set of 4 accessories to change capacity of the body	278	10/100
0106 89	Set of 2 accessories of change height of partition (to be used)	280	5/50
Supports for mounting wiring accessories			
Arteor™ supports			
Clip-on supports which can be fitted side by side Supplied with finishing plate			
0109 10	1 modules-for 40 mm cover	128	5/50
0109 21	2 modules-for 65 mm cover	120	20
0109 22	2 modules-for 85 mm cover	126	20
0109 31	3 modules-for 65 mm cover	170	5/50
0109 32	3 modules-for 85 mm cover	178	5/50
0109 41	4 modules-for 65 mm cover	182	10/50
0109 42	4 modules-for 85 mm cover	182	20
0109 61	6 modules-for 65 mm cover	214	5/25
0109 62	6 modules-for 85 mm cover	244	10
Mounting wiring accessories			
Supports for mounting wiring accessories			
Legrand Lexic supports			
0109 25	For 2 modules for 65 mm cover (3 comp.)	750	5
0109 35	For 3 modules for 85 mm cover (2 comp.)	890	5
0109 27	Insulation unit for 2 modules (Arteor™) can be fitted together to create 4/6 module supports	216	10/100
0109 37	Insulation unit for 3 modules (Arteor™) supports	256	5/50

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.

DLP aluminium adaptable trunking system 50 x 105

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

Body

0111 00	Supplied without cover	3106	8 ⁽¹⁾
---------	------------------------	------	------------------

Cover and partition

0111 11	Full rigid cover	1014	16 ⁽¹⁾
0111 08	85 mm width Separation partition	532	24 ⁽¹⁾

Finishing accessories

0111 58	End cap	544	20/100
0112 43	Flat angle	4708	1/10
0112 32	External angle	5872	1/10
0112 21	Internal angle	5286	1/10
0112 51	Flat junction	6394	1/10
0111 66	Body joint	180	20/100
0111 63	Cover joint	266	10/100

Supports for Arteor™ for cover 85 mm width

0112 12	2 modules	382	20
0112 13	3 modules	450	5/50
0112 14	4 modules	452	20
0112 16	6 modules	600	10

Cabling accessories

0106 82	Clip	48	50
0111 88	Earth link	234	20/500
0308 81	Base for cable ties	22	100/1000

DLP aluminium adaptable trunking system 50 x 150

Body

0111 02	Supplied without cover Allow fitting of partial covers - 2 compartments	3912	4 ⁽¹⁾
---------	---	------	------------------

Covers and partitions

0111 10	Partial rigid cover 65 mm width	770	16 ⁽¹⁾
0111 12	Full rigid cover 130 width	1396	8 ⁽¹⁾
0111 06	Division partition for cover 65 mm width	956	12 ⁽¹⁾
0111 08	Separation partition	532	24 ⁽¹⁾

Finishing accessories

0111 60	End cap	1172	10/50
0112 45	Flat angle	7932	1/5
0112 34	External angle	8730	1
0112 42	Internal angle	7508	1
0112 51	Flat junction	6394	1/5
0111 66	Body joint	180	20/400
0111 62	Cover joint for cover 65 mm	252	10/100
0111 64	Cover joint for cover 30 mm	550	10/100

Supports for Arteor™ for cover 65 mm width

0112 02	2 modules	350	20
0112 03	3 modules	424	5
0112 04	4 modules	440	10
0112 06	6 modules	520	5

Cabling accessories

0106 82	Clip for 65 mm cover	48	50
0106 86	Clip for 130 mm cover	86	50
0111 88	Earth link	234	20/500
0308 81	Base for cable ties	22	100/1000

*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Red Cat.Nos - new products

(1) Price in Meters; No of meters in Pack, Standard length 2 meters to be ordered in multiples of 2 meters

DLP aluminium adaptable trunking system 50 x 195

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

Body

0111 04	Supplied without cover allow fitting of partial covers - 1 compartment	4584	4 ⁽¹⁾
---------	--	------	------------------

Covers and partitions

0111 11	Partial rigid cover 85 mm width	1014	16 ⁽¹⁾
0111 13	Full rigid cover 180 width	2066	8 ⁽¹⁾
0111 08	Separation partition	532	24 ⁽¹⁾
0111 06	Division partition for cover 85 mm width	956	12 ⁽¹⁾

Finishing accessories

0111 61	End cap	1386	10/100
0112 47	Flat angle	8174	1/5
0112 36	External angle	9512	1
0112 25	Internal angle	8214	1
0112 51	Flat junction	6394	1/5
0111 66	Body joint	180	20/400
0111 63	Cover joint for cover 85 mm	266	10/100
0111 65	Cover joint for cover 180 mm	588	10/100

Supports for Arteor™ for cover 85 mm width

0112 12	2 modules	382	20
0112 13	3 modules	450	5
0112 14	4 modules	452	20
0112 16	6 modules	600	10

Cabling accessories

0106 82	Clip for 85 mm cover	48	50
0106 86	Clip for 180 mm cover	86	50
0111 88	Earth link	234	20/500
0308 81	Base for cable ties	22	100/1000

Aluminium snap-on columns

Columns

74 x 80 mm - 1 compartment

6038 00	Height 2.70 m Can be adapted to a ceiling height up to 3.70 m	20124	1
6038 02	Height 3.70 m Can be adapted to a ceiling height up to 4.70 m	23496	1

81 x 130 mm - 2 compartments

6038 01	Height 2.70 m Can be adapted to a ceiling height up to 3.70 m	27372	1
6038 03	Height 3.70 m Can be adapted to a ceiling height up to 4.70 m	32846	1

Separation partition for 74 x 80 and 81 x 130 snap-on columns

6038 07	Height 60 mm	360	36 ⁽¹⁾
---------	--------------	-----	-------------------

Mini-column

6038 05	81x130mm-2 compartments Height 0.68 m Can be associated with floor trunking range	11560	1
---------	--	-------	---

Other accessories

0111 88	Accessory - Earth Link	234	20
6038 57	Fixing CLIP- Normaclip	174	10
6038 58	Fixing CLIP - Normaclip	486	10

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockiest in multiples of the same.



Click to discover us

- 1** Legrand (India) - provides all information regarding the groups philosophy, products, organisation etc.
- 2** Products and solutions - complete information about our range of products for residential, commercial and industrial markets.
- 3** Downloads - download catalogues and brochures.

snap-on trunking routing sections and accessories

TRUNKING			TRUNKING		
Number of compartments	Cover width	Cross-section (mm)	Monobloc: body + cover ⁽¹⁾	Divider	Fishplate body joint
SNAP-ON TRUNKING - 45 mm cover					
	45	50 x 80	○ 0756 01	0756 09	0756 61
	45	50 x 105	0756 02	0756 09	0756 62
	45 45	50 x 130	○ 0756 03	-	0756 61
	45 45	50 x 145	0756 04	-	0756 63
	45 45 45	50 x 180	0756 06	-	0756 61

1: Partition(s) integral to the body
2: Internal and external corner angles supplied with multi-compartment partition joint

mechanisms for snap-on trunking

Mounting functions

The Arteor sockets to be fitted with Soluclip accessory which has following features:

- Anti-slip
- Anti-pullout
- IP 4X
- Perfect finish



0756 90

AND ACCESSORIES			ANGLES			JUNCTIONS				ACCESSORIES	
Stick-on body joint	Cover joint	End cap	Internal angles ⁽²⁾	External angles	Flat angles	Flat junctions with width 80 mm	Flat junctions with width 105 mm	Angled junctions 85/105/130 mm	Junction with floor duct 50 x 12/92 x 20	Extra cover	Adaptor for modular wiring accessories
0756 66	0756 69	0756 11	0756 21	0756 31	0756 41	0756 71	-	0756 81 + 0756 21	0756 88	0756 08	0310 69
0756 67	0756 69	0756 12	0756 22	0756 32	0756 42	0756 72	0756 76	0756 81 + 0756 22	0756 88	0756 08	0310 69
0756 66	2 x 0756 69	0756 13	0756 23	0756 33	0756 43	0756 71	0756 75	0756 81 + 0756 23	0756 88	0756 08	0310 69
① 0756 66 + ② 0756 67	2 x 0756 69	0756 14	0756 24	0756 34	0756 44	① 0756 71 + ② 0756 72	① 0756 75 + ② 0756 76	0756 81 + 0756 24	0756 88	0756 08	0310 69
0756 66	3 x 0756 69	0756 16	0756 26	0756 36	0756 36	0756 71	0756 75	0756 81 + 0756 26	0756 88	0756 08	0310 69

Installation principle for sockets for snap-on trunking

1	2	3	4	5	6
Snap the sockets directly into the trunking	Install the covers	Disengage the finishing piece	Rotate the finishing piece by 180°	Snap on the finishing piece	An impeccable result

Installation principle for Arteor functions

1	2	3	4	5	6
Snap on the mechanism and fix with Soluclips	Install the covers	Disengage the finishing piece	Rotate the finishing piece by 180°	Snap on the finishing piece	An impeccable result

DLP U-PVC adaptable trunking systems for installations

base, covers, partitions, finishing accessories and mounting wiring accessories

Selection chart for Installation of trunking, Accessories and Arteor™

Trunking			Covers		Clip on partition		Arteor™ frames				
Number of compartments	Cover(s) width	Section (mm)									
			Flexible	Partitions separation	Plastic	Aluminium	1 module	2 module	3 module	4 module	6 module
0104 12	1 1 x 65	80 x 50	0105 21	0105 82	-	-	-	0109 21	0109 31	0109 41	0109 61
0104 22	1 1 x 85	105 x 50	0105 22	0105 82	-	-	-	0109 22	0109 32	0109 42	0109 62
	2 2 x 40		0105 20	0105 82	0104 72	0111 06	0109 10	-	-	-	-
0104 32	1 1 x 130	150 x 50	0105 24	0105 82	-	-	-	-	-	-	-
	2 2 x 65		0105 21	0105 82	0104 72	0111 06	-	0109 21	0109 31	0109 41	0109 61
	2 1 x 40 + 1 x 85		0105 20 + 0105 22	0105 82	0104 72	0111 06	0109 10	0109 22	0109 32	0109 42	0109 62
	3 3 x 40		0105 20	0105 82	0104 72 x 2	0111 06 x 2	0109 10	-	-	-	-
0104 52	1 1 x 180	195 x 50	0105 26	0105 82	-	-	-	-	-	-	-
	2 2 x 85		0105 22	0105 82	0104 72	0111 06	-	0109 22	0109 32	0109 42	0109 62
	2 1 x 40 + 1 x 130		0105 20 + 0105 24	0105 82	0104 72	0111 06	0109 10	-	-	-	-
	3 1 x 85 + 2 x 40		0105 22 + 0105 20	0105 82	0104 72 x 2	0111 06 x 2	0109 10	0109 22	0109 32	0109 42	0109 62
	3 1 x 40 + 2 x 65		0105 20 + 0105 21	0105 82	0104 72 x 2	0111 06 x 2	0109 10	0109 21	0109 31	0109 41	0109 61
	4 4 x 40		0105 20	0105 82	0104 72 x 3	0111 06 x 3	0109 10	-	-	-	-

Selection chart for Installation trunking, Accessories and Arteor™

Section (mm)					Insulating unit for Arteor™ modules		Earth Link
80 x 50 / 105 x 50	0106 98	0106 87 + 0106 88 + 0106 89 (to be used for partition)	0106 89	0308 81	0109 27	0109 37	0111 88
150 x 50 / 195 x 50	0106 99						

Selection chart for Installation of trunking, Additional accessories

Cover	Bases		Internal angles 80° - 100°			External angles 60° - 120°			Flat angles		Flat junction			
Joint for covers	Base joint	End caps	Angles	Partition junction	VDI access.	Angles	Partition junction	VDI access.	Angles	VDI access.	Angles	Partition junction	VDI access.	Clips
0108 01	0106 91	0107 22	0106 02	-	0107 80	0106 22	-	0107 81	0107 67	0107 82	0107 32	-	0107 83	0106 82
0108 02	0106 91	0107 02	0106 02	-	0107 80	0106 22	-	0107 81	0107 85	0107 82	0107 32	-	0107 83	0106 82
0108 00	0106 91	0107 02	0106 02	0106 11	-	0106 22	0106 32	-	-	-	0107 32	0107 42	-	0106 82
0108 04	0106 91	0107 06	0106 02	-	-	0106 22	-	-	0107 89	-	0107 32	-	-	0106 86
0108 01	0106 91	0107 06	0106 02	0106 11	0107 80	0106 22	0106 32	0107 81	0107 89	0107 82	0107 32	0107 42	0107 83	0106 82
0108 02	0106 91	0107 06	0106 02	0106 11	0107 80	0106 22	0106 32	0107 81	0107 89	0107 82	0107 32	0107 42	0107 83	0106 82
0108 00	0106 91	0107 06	0106 02	0106 11 x 2	-	0106 22	0106 32 x 2	-	0107 89	-	0107 32	0107 42	-	0106 82
0108 06	0106 91	0107 07	0106 02	-	-	0106 22	-	-	0107 92	-	0107 32	-	-	0106 86
0108 02	0106 91	0107 07	0106 02	0106 11	0107 80	0106 22	0106 32	0107 81	0107 92	0107 82	0107 32	0107 42	0107 83	0106 82
	0106 91	0107 07	0106 02	0106 11	0107 80	0106 22	0106 32	0107 81	0107 92	0107 82	0107 32	0107 42	0107 83	
	0106 91	0107 07	0106 02	0106 11 x 2	0107 80	0106 22	0106 32 x 2	0107 81	0107 92	0107 82	0107 32	0107 42	0107 83	0106 82
	0106 91	0107 07	0106 02	0106 11 x 2	0107 80	0106 22	0106 32 x 2	0107 81	0107 92	0107 82	0107 32	0107 42	0107 83	0106 82
0108 00	0106 91	0107 07	0106 02	0106 11 x 3	-	0106 22	0106 32 x 3	-	0107 92	-	0107 32	0107 42	-	0106 82

DLP mini trunking systems

for cable distribution









■ Selection chart for DLP mini trunking

	Length	Finishing Accessories				Junction Elements
WHITE	2 m	End cap	Internal angle	External angle	Flat angle	Flat junction
32 x 12.5	0300 15	0312 03	0302 51	0302 51	0302 53	0302 54
32 x 16	0308 04	0312 07	0333 25	0333 25	0333 27	0333 30
32 x 20	0300 17	0312 09	0302 71	0302 71	0302 73	0302 74





DLP aluminium trunking system

selection chart of sections, covers and accessories
selection chart of support for wiring accessories

TRUNKING AND ACCESSORIES

				Rigid covers 					Trunking 	
Width (mm)	Nos. of compartments	Covers width	Cat. nos.	65 mm width	85 mm width	130 mm width	180 mm width	Cover Joint	Base Joint	
105 x 50	1 	1 x 85	111 00	-	0111 11	-	-	0111 63	0111 66	
150 x 50	1 	1 x 130	0111 02		-	0111 12	-	0111 64	0111 66	
	2 	2 x 65		2 x 0111 10				0111 62		
195 x 50	1 	1 x 180	0111 04	-		-	0111 13	0111 65	0111 66	
	2 	2 x 85			2 x 0111 11			0111 63		

SUPPORT FOR WIRING ACCESSORIES

60 mm fixing centers : Arteor™	Cover depths	
No of module	65 mm	85 mm
2 modules 	0112 02	0112 12
3 modules 	0112 03	0112 13
4 modules 	0112 04	0112 14
6 modules 	0112 06	0112 16

Insulation resistance : the entire DLP range, including accessories, have insulation resistance above 5 Megaohms

DLP TRUNKING SYSTEM ALUMINIUM

with aluminium adaptable
DLP trunking,
get better styling too !



SELECTION CHART OF ACCESSORIES (continued)

Dividers		End cap	Internal angles	External angles	Flat angles	Junction	Clips	Earth link
Clip-on partition	Separation partition							
-	0111 08	0111 58	0112 21	0112 32	0112 43	011 251	0106 82	0111 88
0111 06	0111 08	0111 60	0112 42	0112 34	0112 45	011 251	0106 82	0111 88
	0111 08						0106 82	
0111 06	0111 08	0111 61	0112 25	0112 36	0112 47	011 251	0106 82	0111 88
	0111 08						0106 82	

(1) To be used with angle covers. (2) To be used with rigid covers

TABLE OF CAPACITIES

	Crosssection (mm ²) Max. Ø (mm ²)	105 x 50	150 x 50			195 x 50		
		cover 85	cover 65	cover 65	cover 130	cover 85	cover 85	cover 180
Trunking only	Cross-section	4330	3020	3020	6470	5350	5350	11160
	Max. Ø	28	43	2 x 43	28	55	55	3 x 54
With Arteor™ / support	Cross-section	2300	1470	1470	-	3320	3320	-
	Max. Ø	2 x 24	18	18	-	33	33	-



SAVE TIME

- Flexibility : multi-covers
- Removable separation
- Angles delivered pre-cut, ready to use
- Fast fixing device support
- Uniform colours for the entire installation
- Arteor™ wiring accessories go with aluminium adaptable DLP trunking