


P17 Tempra Pro and Hypra Plugs and Sockets

For safe connection which you can depend on.
Ensures the protection of personnel at electrical installation

**P17 Tempra Pro
plugs and
sockets**



**Hypra prisinter
and Hypra plugs
and sockets**



**P17 Tempra
combined
units**



**Metra
metallic
plugs and
sockets**



**Metallic
plug and
socket DB's**



P17 Tempra Pro IP 44 - LV 16 and 32 A - sockets and plugs

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

NEW!

Surface mounting sockets

5551 54	200/250 V~, 16 A 2P+E	560	10
5551 58	380/415 V~, 16 A 3P+E	708	10
5551 59	380/415 V~, 16 A 3P+N+E	708	10
5552 54	200/250 V~, 32 A 2P+E	708	5
5552 58	380/415 V~, 32 A 3P+E	894	10
5552 59	380/415 V~, 32 A 3P+N+E	894	10



5552 58

NEW!

Panel mounting sockets inclined outlet

5551 84	200/250 V~, 16 A 2P+E	334	10
5551 88	380/415 V~, 16 A 3P+E	522	10
5551 89	380/415 V~, 16 A 3P+N+E	522	10
5552 84	200/250 V~, 32 A 2P+E	546	10
5552 88	380/415 V~, 32 A 3P+E	690	10
5552 89	380/415 V~, 32 A 3P+N+E	690	10



5551 88

NEW!

Mobile sockets

5551 04	200/250 V~, 16 A 2P+E	434	10
5551 08	380/415 V~, 16 A 3P+E	512	10
5551 09	380/415 V~, 16 A 3P+N+E	512	10
5552 14	200/250 V~, 32 A 2P+E	584	10
5552 18	380/415 V~, 32 A 3P+E	736	10
5552 19	380/415 V~, 32 A 3P+N+E	736	10



5551 08

NEW!

Straight plugs

5551 24	200/250 V~, 16 A 2P+E	308	10
5551 28	380/415 V~, 16 A 3P+E	400	10
5551 29	380/415 V~, 16 A 3P+N+E	400	10
5552 34	200/250 V~, 32 A 2P+E	486	10
5552 38	380/415 V~, 32 A 3P+E	566	10
5552 39	380/415 V~, 32 A 3P+N+E	566	10



5551 28

P17 Tempra - domestic pin configuration 16 A - 250 V~

Flush-mounting boxes

0577 21	For 2 panel mounting sockets With single fixing centres 70 x 70 mm - 16 A	3238	3
0577 22	For 1 panel mounting socket With single fixing centres 70 x 70 mm - 16 or 32 A (32 A to be fixed horizontally)	1942	3



0577 22

* MRP - Maximum Retail Price Inclusive of all taxes.
Red Cat.Nos - new products

P17 Tempra Pro IP 66/67 LV 16 and 32 A

Cat.Nos	Polarity	MRP* ₹ / Unit	Pack
---------	----------	------------------	------

NEW!

Surface mounting sockets

5553 54	200/250 V~, 16 A 2P+E	912	5
5553 58	380/415 V~, 16 A 2P+E	1156	5
5553 59	380/415 V~, 16 A 3P+N+E	1156	5
5554 54	200/250 V~, 32 A 2P+E	1134	5
5554 55	200/250 V~, 32 A 2P+E	2124	5
5554 59	380/415 V~, 32 A 3P+N+E	2124	5

NEW!

Panel mounting sockets

5553 84	200/250 V~, 16 A 2P+E	666	5
5553 88	380/415 V~, 16 A 2P+E	746	5
5553 89	380/415 V~, 16 A 3P+N+E	746	5
5554 84	200/250 V~, 32 A 2P+E	848	5
5554 88	380/415 V~, 32 A 2P+E	1020	5
5554 89	380/415 V~, 32 A 3P+N+E	1020	5

NEW!

Mobile sockets

5553 04	200/250 V~, 16 A 2P+E	816	5
5553 08	380/415 V~, 16 A 2P+E	1066	5
5553 09	380/415 V~, 16 A 3P+N+E	1066	5
5554 14	200/250 V~, 32 A 2P+E	1120	5
5554 18	380/415 V~, 32 A 2P+E	1254	5
5554 19	380/415 V~, 32 A 3P+N+E	1254	5

NEW!

Straight plugs

5553 24	200/250 V~, 16 A 2P+E	710	5
5553 28	380/415 V~, 16 A 2P+E	820	5
5553 29	380/415 V~, 16 A 3P+E	820	5
5554 34	200/250 V~, 32 A 2P+E	1008	5
5554 38	380/415 V~, 32 A 2P+E	1060	5
5554 39	380/415 V~, 32 A 3P+E	1060	5



5553 28

P17 Tempra Pro IP 66/67 LV 32 A for refrigerated containers

Combined unit, plug and mobile socket for refrigerated containers

6571 06	Combined unit with interlocked switched socket - Double mechanical interlock - Cable glands are not supplied	14976	1
---------	--	-------	---



6571 06

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

P17 Tempra Pro IP 66/67 LV 32 A for refrigerated containers

NEW!

Combined unit, plug and mobile socket for refrigerated containers

Cat.Nos	Polarity	MRP* ₹ / Unit	Pack
5554 91	Panel mounting socket	1236	5
5554 21	Mobile socket With cable grip Ø12 to 21.5 mm	1500	5
5554 41	Straight plug With cable grip Ø12 to 21.5 mm	1218	5

P17 Tempra IP 66/67 - LV 63 and 125 A

Surface mounting sockets

0587 40	200/250 V~, 63 A 2P+E	3960	2
0587 44	380/415 V~, 63 A 3P+E	3938	2
0587 45	380/415 V~, 63 A 3P+N+E	3938	2
0591 06	380/415 V~, 125 A 3P+E	11466	2
0591 07	380/415 V~, 125 A 3P+N+E	11466	2

Panel mounting sockets

0587 20	200/250 V~, 63 A 2P+E	3202	2
0587 24	380/415 V~, 63 A 3P+E	3202	2
0587 25	380/415 V~, 63 A 3P+N+E	3012	2
0591 16	380/415 V~, 125 A 3P+E	9060	1
0591 17	380/415 V~, 125 A 3P+N+E	9060	1

Straight plugs

0587 00	200/250 V~, 63 A 2P+E	2700	2
0587 04	380/415 V~, 63 A 3P+E	2700	2
0587 05	380/415 V~, 63 A 3P+N+E	2792	2
0591 26	380/415 V~, 125 A 3P+E	8040	1
0591 27	380/415 V~, 125 A 3P+N+E	8040	1

Mobile sockets

0587 10	200/250 V~, 63 A 2P+E	3562	2
0587 14	380/415 V~, 63 A 3P+E	3562	2
0587 15	380/415 V~, 63 A 3P+N+E	3562	2
0591 36	380/415 V~, 125 A 3P+E	11700	1
0591 37	380/415 V~, 125 A 3P+N+E	11700	1

* MRP - Maximum Retail Price Inclusive of all taxes.

** LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Red Cat.Nos - new products

Plugs and sockets

Cat.Nos	Polarity	LP** ₹ / Unit	Pack
---------	----------	------------------	------

P17 combined unit to be equipped

Bases with mechanical super-compact sockets

0573 00	16 A, 2P+E IP 44 Interlock	3960	1
0573 02	16 A, 3P+N+E IP 44 Interlock	4368	1
0573 20	16 A, 2P+E IP 55 Interlock	4442	1
0573 22	16 A, 3P+N+E IP 55 Interlock	4996	1
0577 23	Mounting plate for 2 super-compact mechanical interlock sockets	2220	1

Bases for 125 x 220 mm face plates

0577 10	Surface mounting box - upto 2 sockets	874	2
0589 38	Surface mounting box with 5 module dinrail - upto 2 sockets	2466	1
0577 05	Surface mounting box with 12 module dinrail - upto 4 sockets	5390	1
0577 06	Surface mounting box with 18 module dinrail - upto 6 sockets	7548	1

Face plates 125 x 220 mm without sockets

0577 12	For 1 x 16 A or 32 A - upto A socket	838	5
0577 13	For 2 x 16 A - upto sockets	1104	5
0577 17	For 1 x 63 A - upto sockets	1010	5
0577 15	Blanking Plate	746	5

Bases for 125 x 280 mm faceplates

0577 11	Surface mounting box - upto 3 sockets	910	3
0577 20	Surface mounting box with 5 module dinrail - upto 3 sockets	2774	1
0577 03	Surface mounting box with 12 module dinrail - upto 6 sockets	5590	1
0577 04	Surface mounting box with 18 module dinrail - upto 9 sockets	7776	1

Face plates 125 x 280 mm without sockets

0577 18	For 2 x 16 A and / or 32 A sockets	1310	4
0577 19	For 1 x 16 A or 32 A socket and 1 x 63 A socket	1294	2
0577 14	For 3 x 16 A sockets	1498	4
0577 16	Blanking plate	874	4

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.



0573 00



0577 10



0577 05



0577 11



0577 04



0587 05



0587 14

Hypra industrial plugs and sockets

Cat.Nos	Polarity	LP* ₹ / Unit	Pack
---------	----------	-----------------	------

Sockets

Prisinter panel mounting sockets - IP 44, IK 09

0520 02	230 V, 16 A, 2P+E	11274	1/10
0527 02	230 V, 32 A, 2P+E	11822	1/6
0529 03	415 V, 32 A, 3P+E	12118	1/6
0529 04	415 V, 32 A, 3P+N+E	14400	1/6
0536 04	415 V, 63 A, 3P+N+E	36914	1



0529 03



0522 23



0522 83

Panel mounting sockets - inclined IP 44, IK 09

0522 23	415 V, 16 A, 3P+E	1764	5/50
0538 23	415 V, 63 A, 3P+E	5506	1

Mobile sockets - IP 44, IK 09

0522 83	415 V, 16 A, 3P+E	4038	5/50
---------	-------------------	------	------

Plugs

Straight plugs - IP 44, IK 09

0520 42	250 V, 16 A, 2P+E	1844	5/50
0527 42	250 V, 32 A, 2P+E	2374	1/5
0522 43	415 V, 16 A, 3P+E	3134	5/50
0529 43	415 V, 32 A, 3P+E	2978	5/50
0529 44	415 V, 32 A, 3P+N+E	3302	5/15
0538 43	415 V, 63 A, 3P+E	7876	1/5
0538 44	415 V, 63 A, 3P+N+E	10682	1/5



0529 44

Metra plugs and sockets

Plugs

Ivory

6500 22	240 V, 10 A, 2P+E	152	1/5/100
6500 28	240 V, 20 A, 2P+E	162	1/5/100



6500 28 +
6500 29

Grey

6500 02	240 V, 10 A, 2P+E	152	1/5/100
6500 08	240 V, 20 A, 2P+E	162	1/5/100
6500 10	440 V, 20 A, 3P+E	218	1/5/100
6500 16	440 V, 32 A, 3P+E	406	1/5/100



6500 02 +
6500 03

Sockets

6500 03	240 V, 10 A, 2P+E With blue cap	156	1/5/100
6500 23	240 V, 10 A, 2P+E With ivory cap	156	1/5/100
6500 09	240 V, 20 A, 2P+E With blue cap	178	1/5/100
6500 29	240 V, 20 A, 2P+E With ivory cap	178	1/5/100
6500 11	440 V, 20 A, 3P+E With red cap	238	1/5/100
6500 17	440 V, 32 A, 3P+E With red cap	406	1/5/100



6500 10 +
6500 11

*LP - List Price Inclusive of excise duty but exclusive of sales tax or any other taxes.

Plugs and sockets

Cat.Nos	Description	LP* ₹ / Unit	Pack
---------	-------------	-----------------	------

P17 tempra combined units

With interlocked switched sockets and surface mounting box IP 44

0566 01	250 V, 16 A, 2P+E	5942	1
0566 09	250 V, 32 A, 2P+E	7092	1
0566 13	415 V, 32 A, 3P+E	8578	1
0566 14	415 V, 32 A, 3P+N+E	8494	1



0566 09

With interlocked switched sockets and surface mounting box IP 55

0566 21	250 V, 16A, 2P+E	6602	1
0566 29	250 V, 32 A, 2P+E	7544	1
0566 33	415 V, 32 A, 3P+E	9566	1
0566 34	415 V, 32 A, 3P+N+E	9186	1



0566 34

With interlocked switched sockets and surface mounting box IP 44 with DIN rail for 5 module Lexic protection

0566 41	250 V, 16A, 2P+E	5982	1
0566 49	250 V, 32 A, 2P+E	7278	1
0566 53	415 V, 32 A, 3P+E	8530	1
0566 54	415 V, 32 A, 3P+N+E	8452	1



0566 41

With interlocked switched sockets and surface mounting box IP 66 with DIN rail for 5 module Lexic protection

0566 61	250 V, 16 A, 2P+E	6704	1
0566 69	250 V, 32 A, 2P+E	7778	1
0566 73	415 V, 32 A, 3P+E	8900	1
0566 74	415 V, 32 A, 3P+N+E	9074	1



0566 74

With interlocked switched sockets and without surface mounting box IP 55

0572 21	250 V, 16 A, 2P+E	5716	1
0572 29	250 V, 32 A, 2P+E	6464	1
0572 33	415 V, 32 A, 3P+E	7674	1
0572 34	415 V, 32 A, 3P+N+E	8382	1
0572 95	415 V, 63 A, 3P+N+E, IP 66	23550	1
0577 00	Base box for 572 95	3476	1



0572 34


P17 tempra combined units

with interlocked switched sockets IP 66

0572 98	380 to 415 V, 50/60 Hz, 63 A, 3P + E	19364	1
0589 10	380 to 415 V, 50/60 Hz, 63 A, 3P + N + E	22130	1
0589 18	380 to 415 V, 50/60 Hz, 63 A, 3P + E with provision for 5 module Lexic protection	25480	1
0572 99	380 to 415 V, 50/60 Hz, 63 A, 3P+N+E with provision for 5 module Lexic protection	26666	1



0572 98
0589 10



0589 18
0572 99

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.